



**ENJOY VDO
AUDIO ENTERTAINMENT**


VDO

MORE THAN 90 YEARS OF EXPERIENCE WITH INFOTAINMENT.

Audio systems from VDO have earned a strong reputation within the world of infotainment and cover a wide range of applications for commercial and off-highway vehicles.

Known for their high quality, all devices are extremely rugged and reliable and convince with a clear design. Ease of use is a key priority, alongside high quality. The intuitive interface, big buttons and turn keys with grip provide straightforward access to a sophisticated range of functionality and delight by handling a complex world in such an easy way.

The extensive audio portfolio with several product lines and 12 V designs as well as 24 V versions for the use in commercial vehicles offers the perfect complete solution for every application.



OVERVIEW OF ALL MULTIMEDIA PRODUCTS.

Thanks to its large portfolio VDO can offer every customer a complete solution – from receivers to accessories.



SILVER LINE EXTENDED FOR MAXIMUM COMFORT.


The Silver Line Extended radios represent the primary range of the radio portfolio. Based on aftermarket components they impress with an optimum price-performance ratio and thus are ideal for price-driven markets without compromising on quality.



The RDS tuner receives radio stations worldwide in AM and FM frequency.



Available from stock as 12 V and 24 V versions.



Radio versions with Bluetooth functionality have an internal microphone and an optional external microphone.



Even more choice is offered by the optional DAB+ functionality, which is already supported in many countries and allows access to digital stations around the world. A DAB+ antenna is included.



With the integrated weatherband function, weather forecasts in the US can be received.




The optional Bluetooth function makes it safe and easy to call and listen to music with your mobile phone while driving.



Talk me allows to operate Siri or Google Assistant via radio securely and conveniently.



Thanks to short chassis, the radio finds a place in any cockpit.



MP3 files and WMA files can be played from an USB stick via the integrated USB 2.0 port (standard 0.5 A, only in the EU optional as 2.1 A USB interface).



The radios of the Silver Line Extended are equipped with an external input.



The central image shows a VDO car radio unit. It features a large circular volume knob on the left with 'RST' and 'VOL' markings. Above the knob are buttons for 'SRC', 'BAND AST', 'SEL', and 'DISP'. To the right of these buttons are fast-forward and fast-reverse icons. The center has a blue LCD display showing 'PLANET' and 'AF'. Below the display are buttons for '1', '2 SCN', '3 RPT', '4 RND', '5 D-', '6 D+', and 'AUX'. On the far right is a USB port. The model number 'TRDW323UB-OR' is printed on the top right. Logos for 'dab+', 'RDS', and 'CAN' are visible on the front panel.

SILVER LINE EXTENDED MODELS.

TRW312UB-OR



Order No. 2801100064351

- / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12V
- / External microphone



TRW323UB-OR



Order No. 2801100074351

- / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 24V
- / External microphone



TRW312UB-OR/ISO



Order No. 2801100066351

- / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12V
- / External microphone




SILVER LINE EXTENDED MODELS.

TRDW311U-OR



Order No. 2801100080301

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / 12V
- / DAB+ antenna




TRDW322U-OR



Order No. 2801100084301

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / 24V
- / DAB+ antenna



TRDW312UB-OR



Order No. 2801100082301

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12V
- / External microphone and DAB+ antenna



TRDW323UB-OR



Order No. 2801100086301

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 24V
- / External microphone and DAB+ antenna



SILVER LINE EXTENDED MODELLE.

TRDW312UB-BU



Order No. 2801100090301

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12V
- / External microphone and DAB+ antenna



TRDW323UB-BU



Order No. 2801100094301

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 24V
- / External microphone and DAB+ antenna



CRDW312UB-WH



Order No. 2801100056351

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / CAN Radio
- / 12V
- / Without external microphone and DAB+ antenna in the box



CRDW323UB-WH



Order No. 2801100051351

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / CAN Radio
- / 24V
- / Without external microphone and DAB+ antenna in the box



SILVER LINE EXTENDED MODELS.

TRDW312UB-OR/WAN



Order No. 2801100096301

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12V
- / Without DAB+ antenna in the box
- / External microphone



TRDW323UB-OR/WAN



Order No. 2801100114301

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 24V
- / Without DAB+ antenna in the box
- / External microphone




TRW312UB-BU



Order No. 2801100070351

- / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12V
- / External microphone



TRW323UB-BU



Order No. 2801100078351

- / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 24V
- / External microphone



CUSTOMIZATIONS MAKE YOUR RADIO UNIQUE.

Various elements of the radio front can be exchanged and customized for an individual look.

Several backlight options possible

Customer specific branding

Customer specific model description

Slight software modifications possible

Different front colors possible

Customer specific welcome message:

Your Display Text

A minimum order quantity of 1,000 units applies for customized radios.

CUSTOMIZATIONS THE COLOR IS YOUR CHOICE.

The colors of the bezel and the display can be selected from the entire color range. Some examples are shown here.



OE LINE EVEN FOR EXTREME CONDITIONS.

Radios of the OE line, currently the best-selling radios in the portfolio, are specified and validated by VDO to suit to most demanding customers and extreme conditions. The set of multi-functions, the receiver performances and the easy handling of the fascia are key valuable items and perfectly tailored to OE customers but also to aftersales channels.



Buttons can be dimmed on some radios.

CAN The radio versions with J1939 protocol ensure effective communication and fast data flow.

Thanks to short chassis, the radio finds a place in any cockpit.

The RDS tuner receives radio stations worldwide in AM and FM frequency.

12V 24V

Available from stock as 12 V and 24 V versions.

Radio versions with Bluetooth functionality have an internal microphone and an optional external microphone.




With the optional weatherband function, weather forecasts in the US can be received.



The optional Bluetooth function makes it safe and easy to call and listen to music with your mobile phone while driving.

The radios of the OE Line are equipped with an external input.

Versions with a second AUX port are available.



MP3 files and WMA files can be played from an USB stick via the integrated USB 2.0 port (standard 0.5 A). CAN models have an 2.1 A USB interface for fast charging.

OE LINE MODELS.

CR4512UBA-OR



Order No. 2910002093900

- / FM-/AM-Radio
- / USB MP3 / WMA
- / CAN J1939
- / Bluetooth®
- / 12 V



CRD4512UBA-OR



Order No. 2910002094000

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / CAN J1939
- / Bluetooth®
- / 12 V



TRDW7812UB-RGB



Order No. 2801102049351

- / DAB+ / FM / AM Radio
- / USB
- (Support of Audio formats)
- / Bluetooth®
- / Dot matrix display
- / Multicolor backlighting
- / 12 V
- / Without external microphone and DAB+ antenna in the box



BUS LINE CLEAR COMMUNICATION ON BOARD.

Bus line radios designed for buses and coaches combine reliable audio performance with practical features for passenger communication. Equipped with microphone inputs these units ensure clear announcements and smooth interaction during every journey. Robust design and intuitive controls make them the perfect choice for professional passenger transport.



Thanks to short chassis, the radio finds a place in any cockpit.

Radio versions with Bluetooth functionality have an internal microphone and an optional external microphone.

Versions with a second AUX port are available.



Even more choice is offered by the optional DAB+ functionality, which is already supported in many countries and allows access to digital stations around the world. A DAB+ antenna is included.



The optional Bluetooth function makes it safe and easy to call and listen to music with your mobile phone while driving.



The radio variants with J1939 protocol ensure effective communication and fast data flow.



Available from stock as 12 V and 24 V versions.



The RDS tuner receives radio stations worldwide in AM and FM frequency.



MP3, WMA, ACC and FLAC files can be played from an USB stick via the integrated USB 2.0 port. Thanks to 2.1 A fast charging is possible.



BUS LINE MODELS.

CBRD7823UBV-RGB



Order No. 2801102037351

- / DAB+ / FM / AM Radio
- / USB (Support of Audio and Video formats)
- / Bluetooth®
- / 2 guide microphone inputs
- / Multicolor backlighting
- / CAN Radio
- / 24 V
- / Video inputs and outputs
- / Without external microphone and DAB+ antenna in the box



CBRD7823UBD-RGB



Order No. 2801102035351

- / DAB+ / FM / AM Radio
- / USB (Support of Audio formats)
- / Bluetooth®
- / 2 guide microphone inputs
- / Multicolor backlighting
- / CAN Radio
- / 24 V
- / Without external microphone and DAB+ antenna in the box



CBRD7823UBA-RGB



Order No. 2801102033351

- / DAB+ / FM / AM Radio
- / USB (Support of Audio formats)
- / Bluetooth®
- / 1 guide microphone input
- / Multicolor backlighting
- / CAN Radio
- / 24 V
- / Without external microphone and DAB+ antenna in the box



BUS LINE MODELS.

CBR7812UBA-RGB



Order No. 2801126077351

- / FM / AM Radio
- / USB (Support of Audio formats)
- / Bluetooth®
- / 1 guide microphone input
- / Multicolor backlighting
- / CAN Radio (Cybersecurity features embedded)
- / 12 V
- / Without external microphone in the box



BRD7823UBA-RGB



Order No. 2801102041351

- / DAB+ / FM / AM Radio
- / USB (Support of Audio formats)
- / Bluetooth®
- / 1 guide microphone input
- / Multicolor backlighting
- / 24 V
- / Without external microphone and DAB+ antenna in the box



BR7812UBA-RGB



Order No. 2801102039351

- / FM / AM Radio
- / USB (Support of Audio formats)
- / Bluetooth®
- / 1 guide microphone input
- / Multicolor backlighting
- / 12 V
- / Without external microphone in the box



BLACKBOX CAN LINE ALWAYS CONNECTED.

The CAN line radio range is a special range based on the OE line with CAN feature. Thanks to the integrated interface, this product type is ideal for OE customers who want to connect the radio to other units in the vehicle cabin and to operate them via an existing display.

As the BlackBox CAN Line radios do not require a display, they can be concealed in the driver's cabin.



Thanks to short chassis, the radio finds a place in any cockpit.



The RDS tuner receives radio stations worldwide in AM and FM frequency.



Even more choice is offered by the optional DAB+ functionality, which is already supported in many countries and allows access to digital stations around the world. A DAB+ antenna is included.



The optional Bluetooth function makes it safe and easy to call and listen to music with your mobile phone while driving.

CAN

Thanks to CAN J1939 protocol the radios of the BlackBox CAN Line ensure effective communication with other units of the vehicle cabin and fast data flow.



MP3, WMA, AAC and FLAC files can be played from an USB stick via the integrated USB 2.0 port. Thanks to 2.1A fast charging is possible.



Available from stock as 12V versions.

BLACKBOX CAN LINE MODELS.

CR4612UBA



Order No. 2910002094200

- / FM-/AM-Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12V
- / CAN J1939



CRD4612UBA



Order No. 2910002094300

- / DAB+ / FM / AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12V
- / CAN J1939



MULTIMEDIA LINE ONE STEP FURTHER.

Consisting of a DIN black box and a 6,75" LVDS display, the Multimedia Line offers maximum functionality and ease of use. Thanks to the intelligent connection of smartphone and infotainment system, the driver always has his own data center on board.



Talk me allows to operate Siri or Google Assistant via radio securely and conveniently.



A camera can be connected via an integrated AHD and CVBS input (PAL/NTCS).

CAN

The radio variants with J1939 protocol ensure effective communication and fast data flow.



Available from stock as 12 V versions.



Compatible with jpeg and mp4 files, even images and videos can be played back smoothly.



Bluetooth, CarPlay and Android auto functionality make it safe and easy to call and listen to music with your mobile phone while driving. To use CarPlay or Android auto the smart phone can be connected via USB cable or wireless.



Even more choice is offered by the optional DAB+ functionality, which is already supported in many countries and allows access to digital stations around the world.



MP3, WMA, ACC and FLAC files can be played from an USB stick via the integrated USB 2.0 port. Thanks to 2.1 A fast charging is possible.



MULTIMEDIA LINE

DMR675



Order No. 2801100106351

- / 6.75" LVDS Display
- / Multi Touch Screen
- / Resolution 1024 x 600
- / Anti-glare
- / Different mounting options
(e.g. VESA on the back,
U-bracket on the side)



DIGITAL AUDIO
BROADCASTING



USB CONNECT



MP3 / WMA



BLUETOOTH®
TECHNOLOGY



WORLDWIDE
TUNER



BACKUP
MEMORY



LOGIC ON
LOGIC OFF

MULTIMEDIA LINE MODELS.

CRD8612UBA



Order No. 2801100098351

- / CAN J1939
- / DAB+/ FM/ AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / Apple Carplay /
- Android Auto
- / 12 V



TRD8612UBA



Order No. 2801100102351

- / DAB+/ FM/ AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / Apple Carplay /
- Android Auto
- / 12 V



CRS8612UBA



Order No. 2801100100351

- / CAN J1939
- / FM-/AM-Radio
- / USB MP3 / WMA
- / Bluetooth®
- / Apple Carplay /
- Android Auto
- / 12 V



TRS8612UBA



Order No. 2801100104351

- / FM-/AM-Radio
- / USB MP3 / WMA
- / Bluetooth®
- / Apple Carplay /
- Android Auto
- / 12 V



SILVER LINE BASIC FUNCTIONALITY & HIGH QUALITY.

A robust housing, large, easy-grip knobs and buttons for ease of use and an easy-to-read display – all Silver Line radios are intuitive and simple to operate. Like the Silver Line Extended units the Silver Line radios are based on aftermarket components and thus offer excellent value for money.



The RDS tuner receives radio stations worldwide in AM and FM frequency.



Available from stock as 12V and 24V versions.



Talk me allows to operate Siri or Google Assistant via radio securely and conveniently.



Thanks to short chassis, the radio finds a place in any cockpit.




Radio versions with Bluetooth functionality have an internal microphone and an optional external microphone.



Even more choice is offered by the optional DAB+ functionality, which is already supported in many countries and allows access to digital stations around the world. A DAB+ antenna is included.



The optional Bluetooth function makes it safe and easy to call and listen to music with your mobile phone while driving.



MP3 files and WMA files can be played from an USB stick via the integrated USB 2.0 port (standard 0.5 A).

The radios of the Silver Line Extended are equipped with an external input.

SILVER LINE MODELS.

TR311U-WH



Order No. 2801100003301

- / FM-/AM-Radio
- / USB MP3 / WMA
- / 12 V




TRD311U-WH



Order No. 2801100005301

- / DAB+/ FM/ AM Radio
- / USB MP3 / WMA
- / 12 V
- / Without DAB+ antenna in the box




TR312UB-WH



Order No. 2801100004301

- / FM-/AM-Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12 V
- / Without external microphone and DAB+ antenna in the box



TRD312UB-WH



Order No. 2801100006301

- / DAB+/ FM/ AM Radio
- / USB MP3 / WMA
- / Bluetooth®
- / 12 V
- / Without external microphone and DAB+ antenna in the box



RADIOS CERTIFICATIONS

CE-Mark is the European conformity mark, indicating that the products comply with relevant laws and regulations or directives. E-Mark indicates product is compliant with electromagnetic regulation. Vehicles and related products need both E-Mark and CE certifications to be legally sold in Europe.

FCC is the US conformity mark, indicating that the products comply with relevant laws and regulations or directives. Vehicles and related products need FCC certification to be legally sold in USA.



Country specific certifications:

For many radios we have established country specific certifications (e.g. KC, Six Sigma, ICASA). Customer specific certifications can be acquired upon request.

ACCESSORIES TO GET THE BEST OUT OF IT.

VDO is offering a wide range of antennas with high performance and mounting versatility, connectors that optimize the quality reception and speakers to deliver a great, consistently dynamic sound both in indoor and outdoor environments.



ANTENNAS

antenna AM/FM 10-123



Order No. 2910000111300

- / 35 cm antenna for roof montage
- / Rigid (fiberglass) / 348 mm
- / Inclination between 0°–90°
- / Cable length 2.30 m
- / DIN connector


antenna AM/FM 10-124



Order No. 10-124

- / 19 cm flexible antenna for roof montage
- / Flexible (rubber) / 190 mm
- / Inclination between 0°–90°
- / Cable length 2.30 m
- / DIN connector
- / Mounting: 2 holes 4 mm and 8 mm

antenna AM/FM 10-125E



Order No. 10-125E

- / Active antenna for Windscreen montage
- / Rigid / 280 mm
- / Inclination between 0°–90°
- / Cable length 1.50 m
- / DIN connector
- / 12 V Phantom power supply provided by the radio

antenna AM/FM 10-124a



Order No. 2910002378000

- / 19 cm flexible antenna for roof montage
- / Flexible (rubber) / 190 mm
- / Inclination between 0°–90°
- / Cable length 0.7 m
- / DIN connector
- / Mounting: 1 hole 8 mm

ANTENNAS


antenna DAB ANT-DP140



Order No. 2910002264600

- / 19 cm flexible antenna for roof montage
- / Flexible (rubber) / 190mm
- / Inclination between 0°–90°
- / Cable length 2.30 m
- / SMB female connector

antenna DAB ANT-DP250



Order No. 2910000144900

- / Passive antenna for Wind-screen montage
- / Rigid / 525 mm
- / Cable length 2.50 m
- / SMB female connector

antenna DAB ANT-DA500



Order No. 2910000502900

- / Active antenna for Wind-screen montage
- / Rigid / 163 mm
- / Cable length 5 m
- / SMB connector
- / 12 V Phantom power supply provided by the radio

CABLES

antenna FM Cable ANT-CB1500



Order No. 2910000307400
/ Cable length 1.50 m
/ Cable impedance 75 Ω

antenna FM Cable ANT-CB2400



Order No. 2910000291800
/ Cable length 2.40 m
/ Cable impedance 75 Ω

antenna FM Cable ANT-CB2800



Order No. 2910000417400
/ Cable length 2.80 m
/ Cable impedance 75 Ω

antenna FM extension cable 561-060



Order No. 561-060
/ Cable length 3.50 m
/ Cable impedance 75 Ω

C1 Auxiliary input cable with SWRC AC1000



Order No. 2910000457200
/ Cable length 0.17 m
/ Yellow C1 connector

C2 External USB & Micro-phone cable for BB CAN L. AC2000



Order No. 2801180002302
/ Cable length 0.20 m
/ Green C2 connector

CABLES

C2 External Microphone input cable AC1200



Order No. 2910002275000

- / Cable length 0.20 m
- / Green C2 connector

C3 Auxiliary input cable for CAN radio AC3000



Order No. 2801180003302

- / Cable length 0.20 m
- / Blue C3 connector
- / Compatible with all CAN radio variants

USB / AUX Socket for BB CAN Line / MM Line AC-USB3000



Order No. 2801180001302

- / Cable length 3.00 m
- / USB and Jack

ISO A+B connector CA0504U-LS



Order No. CA0504U-LS

- / Cable length 0.1 m
- / ISO cables for power supply and speakers

Adaptor cable C1 (Aux input / 22cm)



Order No. 2801104007355

- / Cable length 0.22 m
- / Yellow C1 connector

Adaptor cable C3 (Aux input / 22cm)



Order No. 2801104006355

- / Cable length 0.22 m
- / Blue C3 connector

CABLES

Adaptor cable D (Subwoofer output and cam trig)



Order No. 2801104005355
/ Cable length 0.22 m Green
C2 connector

USB cable Adaptor (16.5cm)



Order No. 2801104001355
/ Cable length 0.165 m
/ TE, HSL-C connector

LVDS cable for CAN multimedia radio (3m)



Order No. 2801104002355
/ Cable length 3.00 m
/ Amphenol HSD-A connector

External microphone



Order No. 2910000272400
/ Cable length 3.00 m
/ 3.5mm jack connector

ADAPTERS & SPLITTER


Fakra / DIN-Adapter CA-AFA450



Order No. 2910000075300

- / Input: Fakra,
- Output: DIN male
- / Impedance 75Ω

antenna Adapter FAKRA-DIN with power CA-AFA450



Order No. 2910000075400

- / Cable length 2.80 m
- / Cable impedance 75Ω

Splitter ANT-ASB200



Order No. 2910002264700

- / DIN 41585 / SMB female
- / Power supply 12 V or via phantom power supply
- / AM / FM 16 dB, DAB 17 dB

SPEAKERS

Speaker 2 ways HP1021



Order No. HP1021

- / 50 Watt Peak Load, 4Ω
- / Frequency response 120 – 18.000
- / Cone material injected PP, Basket material metal
- / Grille color black
- (zinc plating pretreatment)
- / Diameter 100 mm
- / Packaging unit 1 Pair

Speaker 2 ways HP1022



Order No. 2910000251700

- / 50 Watt Peak Load, 4Ω
- / Frequency response 120 – 18.000
- / Cone material injected PP, Basket material metal
- / Grille color black (zinc plating pretreatment)
- / Diameter 100 mm
- / Packaging unit 1 Pair

Speaker 2 ways HP1321



Order No. HP1321

- / 60 Watt Peak Load, 4Ω
- / Frequency response 90 – 18.000
- / Cone material injected PP, Basket material metal
- / Grille color black
- (zinc plating pretreatment)
- / Diameter 130 mm
- / Packaging unit 1 Pair

Speaker 2 ways HP1322



Order No. 2910000251900

- / 60 Watt Peak Load, 4Ω
- / Frequency response 90 – 18.000
- / Cone material injected PP, Basket material metal
- / Grille color black (zinc plating pretreatment)
- / Diameter 130 mm
- / Packaging unit 1 Pair

SPEAKERS

Speaker 2 ways HP1321/16



Order No. HPW1321/16

- / 60 Watt Peak Load, 4 Ω
- / Frequency response 90 – 18.000
- / Cone material injected PP, Basket material metal
- / Grille color white
- (RAL 9016) zinc plating pretreatment
- / Diameter 130 mm
- / Packaging unit 1Pair

IZI active Speaker Bluetooth® CSP1321-WH and CSP1321-BL



Order No. 2910000797900 für WH

Bestell.-Nr. 2910000797800 für BL

- / 2x 41Watt Maximalbelastung, 4 Ω
- / Frequenzgang 100 – 20.000
- / Membranmaterial PP-Spritzguss, Korbmaterial ASA (UV-stabil)
- / Durchmesser 130 mm
- / Verpackungseinheit 1Lautsprecher

IZI passive Speaker Bluetooth® SP1321-WH and SP1321-BL



Order No. 2910000798100 for WH

Order No. 2801102001301 for BL

- / 200 Watt Peak Load, 4 Ω
- / Frequency response 100 – 20.000
- / Cone material injected PP, Basket material ASA (UV resistant)
- / Diameter 130 mm
- / Packaging unit 1 Speaker

Waterproof speaker 2 ways 051-018-011



Order No. 051-018-011

- / 200 Watt Peak Load
- / Frequency response 80 – 20.000
- / Cone material injected PP
- / Grille color white (RAL 9003)
- / Diameter 130 mm
- / Packaging unit 1Pair, Screws and 2 ISO cables

SPEAKERS AND SPEAKER GRILLS

Speaker 2 ways HPS1021/B



Order No. 2910000256700

- / 110 Watt Peak Load, 4 Ω
- / Frequency response 120 – 20.000
- / Cone material injected PP, Basket material metal
- / Without grille
- / Diameter 100 mm
- / Packaging unit 30

Round grille 051-018-000S



Order No. 291000032950

- / Color black uniblock (zinc plating pretreatment)
- / Diameter 100 mm, for HPS1021/B
- / Packaging unit 30

Round grille 051-018-003



Order No. 2910000251600

- / Color black uniblock (zinc plating pretreatment)
- / Diameter 130 mm
- / Packaging unit 40

Square grille XRC-1-96-101



Order No. XRC-1-96-101

- / Color black uniblock
- / Diameter 100 mm
- / Packaging unit 50

FURTHER ACCESSORIES

BOX Panel 1 DIN BA-1 DIN



Order No. 2910000152300

- / 1 Din Box
- 189 mm x 59 mm x 70 mm
- / Color Black

Mounting Kit Speaker



Order No. 2801180021300

- / 4 x Screw M4 x 25
- / 4 x clips
- / Color Black

AUMOVIO Aftermarket GmbH
Guerickestraße 7
60488 Frankfurt am Main, Germany
www.vdo.com/en-en/

The information provided in this brochure contains only general descriptions or performance characteristics, which do not always apply as described in the specific case or which may change as a result of further development of the product. This information is merely a technical description of the product. This information is not meant or intended to be a special guarantee for a particular quality or particular durability. An obligation to provide the respective characteristics shall only exist if expressly agreed in the terms of contract. We reserve the right to make changes in availability as well as technical changes without prior notice.

@AUMOVIO Germany GmbH | English | 04-2026

VDO